

Алматы (7273)495-231  
 Ангартск (3955)60-70-56  
 Архангельск (8182)63-90-72  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Благовещенск (4162)22-76-07  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Владикавказ (8672)28-90-48  
 Владимир (4922) 49-43-18  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58  
 Иваново (4932)77-34-06  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Коломна (4966)23-41-49  
 Кострома (4942)77-07-48  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Курган (3522)50-90-47  
 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Ноябрьск (3496)41-32-12  
 Новосибирск (383)227-86-73  
 Ноябрьск (3496)41-32-12  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16  
 Петрозаводск (8142)55-98-37  
 Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Саратов (8342)22-96-24  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13  
 Сыктывкар (8212)25-95-17  
 Сургут (3462)77-98-35  
 Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35  
 Тольятти (8482)63-91-07  
 Томск (3822)98-41-53  
 Тула (4872)33-79-87  
 Тюмень (3452)66-21-18  
 Улан-Удэ (3012)59-97-51  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Чебоксары (8352)28-53-07  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Чита (3022)38-34-83  
 Якутск (4112)23-90-97  
 Ярославль (4852)69-52-93

<https://forcar.nt-rt.ru> || [fco@nt-rt.ru](mailto:fco@nt-rt.ru)

## Холодильные столы для салатов



### ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-PS200

|                                           |                                 |
|-------------------------------------------|---------------------------------|
| WORKING TEMPERATURE/OPERATING TEMPERATURE | <u>-2°C / +8°C</u>              |
| EXTERNAL DIMENSIONS                       | <u>900 x 700 x 1010(h) mm</u>   |
| INTERNAL DIMENSIONS                       | <u>830 x 530 x 500(h) mm</u>    |
| CAPACITY                                  | <u>n.5 x GN1/6 – 254</u>        |
| MAX. OPERATING TEMPERATURE                | <u>+32°C / 55%HR</u>            |
| TYPE OF COOLING                           | <u>static</u>                   |
| DEFROSTING TYPE                           | <u>off cycle defrost</u>        |
| TYPE OF COOLING GAS                       | <u>R600a</u>                    |
| CONDENSED WATER EVAPORATION               | <u>automatic</u>                |
| TEMPERATURE CONTROL                       | <u>electronic</u>               |
| INSULATION (mm)                           | <u>40</u>                       |
| POWER CONSUMPTION (W)                     | <u>155</u>                      |
| VOLTAGE                                   | <u>230V / 50Hz</u>              |
| CONSTRUCTION MATERIAL                     | <u>stainless steel AISI 304</u> |
| DOOR REVERSING                            | <u>no</u>                       |
| INTERIOR LIGHT                            | <u>no</u>                       |

|                      |                                          |
|----------------------|------------------------------------------|
| SUPPLIED ACCESSORIES | <u>2 grids GN1/1 – 2 pairs of slides</u> |
| NET WEIGHT (Kg)      | <u>80</u>                                |
| GROSS WEIGHT (Kg)    | <u>101</u>                               |
| PACKAGING DIMENSIONS | <u>970 x 760 x 1280(h) mm</u>            |



#### ОХЛАЖДАЕМЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-PS300

|                                           |                                        |
|-------------------------------------------|----------------------------------------|
| WORKING TEMPERATURE/OPERATING TEMPERATURE | <u>-2°C / +8°C</u>                     |
| EXTERNAL DIMENSIONS                       | <u>1370 x 700 x 1010(h) mm</u>         |
| INTERNAL DIMENSIONS                       | <u>1296 x 530 x 500(h) mm</u>          |
| CAPACITY                                  | <u>n.8 x GN1/6 – 392</u>               |
| MAX. OPERATING TEMPERATURE                | <u>+32°C / 55%HR</u>                   |
| TYPE OF COOLING                           | <u>static</u>                          |
| DEFROSTING TYPE                           | <u>off cycle defrost</u>               |
| TYPE OF COOLING GAS                       | <u>R600a</u>                           |
| CONDENSED WATER EVAPORATION               | <u>automatic</u>                       |
| TEMPERATURE CONTROL                       | <u>electronic</u>                      |
| INSULATION (mm)                           | <u>40</u>                              |
| POWER CONSUMPTION (W)                     | <u>235</u>                             |
| VOLTAGE                                   | <u>230V / 50Hz</u>                     |
| CONSTRUCTION MATERIAL                     | <u>stainless steel AISI 304</u>        |
| DOOR REVERSING                            | <u>no</u>                              |
| INTERIOR LIGHT                            | <u>no</u>                              |
| SUPPLIED ACCESSORIES                      | <u>3 grids GN1/1 -3 pair of slides</u> |
| NET WEIGHT (Kg)                           | <u>120</u>                             |
| GROSS WEIGHT (Kg)                         | <u>148</u>                             |
| PACKAGING DIMENSIONS                      | <u>1390 x 730 x 1280(h) mm</u>         |



#### ОХЛАЖДАЕМЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-PS900

|                                           |                                                           |
|-------------------------------------------|-----------------------------------------------------------|
| WORKING TEMPERATURE/OPERATING TEMPERATURE | <u>-2°C / +8°C</u>                                        |
| EXTERNAL DIMENSIONS                       | <u>900 x 700 x 1100(h) mm</u>                             |
| INTERNAL DIMENSIONS                       | <u>830 x 515 x 500(h) mm</u>                              |
| CAPACITY                                  | <u>n.5 x GN1/6 – 288</u>                                  |
| MAX. OPERATING TEMPERATURE                | <u>+32°C / 55%HR</u>                                      |
| TYPE OF COOLING                           | <u>static</u>                                             |
| DEFROSTING TYPE                           | <u>off cycle defrost</u>                                  |
| TYPE OF COOLING GAS                       | <u>R600a</u>                                              |
| CONDENSED WATER EVAPORATION               | <u>automatic</u>                                          |
| TEMPERATURE CONTROL                       | <u>electronic</u>                                         |
| INSULATION (mm)                           | <u>40</u>                                                 |
| POWER CONSUMPTION (W)                     | <u>155</u>                                                |
| VOLTAGE                                   | <u>230V / 50Hz</u>                                        |
| CONSTRUCTION MATERIAL                     | <u>stainless steel AISI 304 with granite work surface</u> |
| DOOR REVERSING                            | <u>no</u>                                                 |
| INTERIOR LIGHT                            | <u>no</u>                                                 |
| SUPPLIED ACCESSORIES                      | <u>2 grids GN1/1 – 2 pairs of slides</u>                  |
| NET WEIGHT (Kg)                           | <u>92</u>                                                 |
| GROSS WEIGHT (Kg)                         | <u>120</u>                                                |
| PACKAGING DIMENSIONS                      | <u>970 x 760 x 1380(h) mm</u>                             |



#### ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S900

|                                           |                                          |
|-------------------------------------------|------------------------------------------|
| WORKING TEMPERATURE/OPERATING TEMPERATURE | <u>-2°C / +8°C</u>                       |
| EXTERNAL DIMENSIONS                       | <u>900 x 700 x 850(h) mm</u>             |
| INTERNAL DIMENSIONS                       | <u>830 x 530 x 500(h) mm</u>             |
| CAPACITY                                  | <u>n.2 x GN1/1 + n. 3 x GN1/6 – 240</u>  |
| MAX. OPERATING TEMPERATURE                | <u>+32°C / 55%HR</u>                     |
| TYPE OF COOLING                           | <u>static</u>                            |
| DEFROSTING TYPE                           | <u>off cycle defrost</u>                 |
| TYPE OF COOLING GAS                       | <u>R600a</u>                             |
| CONDENSED WATER EVAPORATION               | <u>automatic</u>                         |
| TEMPERATURE CONTROL                       | <u>electronic</u>                        |
| INSULATION (mm)                           | <u>40</u>                                |
| POWER CONSUMPTION (W)                     | <u>155</u>                               |
| VOLTAGE                                   | <u>230V / 50Hz</u>                       |
| CONSTRUCTION MATERIAL                     | <u>stainless steel AISI 304</u>          |
| DOOR REVERSING                            | <u>no</u>                                |
| INTERIOR LIGHT                            | <u>no</u>                                |
| SUPPLIED ACCESSORIES                      | <u>2 grids GN1/1 – 2 pairs of slides</u> |
| NET WEIGHT (Kg)                           | <u>70</u>                                |
| GROSS WEIGHT (Kg)                         | <u>88</u>                                |
| PACKAGING DIMENSIONS                      | <u>980 x 760 x 1170(h) mm</u>            |



#### ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S901

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



#### **ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S9012D**

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



#### **ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S9014D**

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



#### **ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S902**

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



## ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S903

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



## ОХЛАЖДЕННЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-S903ТОР

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.



## ОХЛАЖДАЕМЫЕ САЛАДЕТТЫ ДЛЯ САЛАТОВ GN1/1 STATIC G-SS45BT

Saladette is a special table that combines a worktop that is convenient for preparing salads and cold appetizers and a chamber located under it for cooling and storing ingredients; refrigerated table for salads.

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922) 49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (3473)204-51-73  
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58  
Иваново (4932)77-34-06  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Ноябрьск (3496)41-32-12  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сыктывкар (8212)25-95-17  
Сургут (3462)77-98-35  
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Улан-Удэ (3012)59-97-51  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93