

Алматы (7273)495-231  
 Ангартск (3955)60-70-56  
 Архангельск (8182)63-90-72  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Благовещенск (4162)22-76-07  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Владикавказ (8672)28-90-48  
 Владимир (4922) 49-43-18  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58  
 Иваново (4932)77-34-06  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Коломна (4966)23-41-49  
 Кострома (4942)77-07-48  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Курган (3522)50-90-47  
 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Ноябрьск (3496)41-32-12  
 Новосибирск (383)227-86-73  
 Ноябрьск (3496)41-32-12  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16  
 Петрозаводск (8142)55-98-37  
 Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Саранск (8342)22-96-24  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13  
 Сыктывкар (8212)25-95-17  
 Сургут (3462)77-98-35  
 Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35  
 Тольятти (8482)63-91-07  
 Томск (3822)98-41-53  
 Тула (4872)33-79-87  
 Тюмень (3452)66-21-18  
 Улан-Удэ (3012)59-97-51  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Чебоксары (8352)28-53-07  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Чита (3022)38-34-83  
 Якутск (4112)23-90-97  
 Ярославль (4852)69-52-93

<https://forcar.nt-rt.ru> || [fco@nt-rt.ru](mailto:fco@nt-rt.ru)

## Холодильные витрины для вина



### ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2791

WORKING TEMPERATURE/OPERATING TEMPERATURE	<u>+2°C/+8°C</u>
EXTERNAL DIMENSIONS	<u>640 x 610 x 1860(h) mm</u>
INTERNAL DIMENSIONS	<u>460 x 450 x 1500(h) mm</u>
CAPACITY	<u>310</u>
MAX. OPERATING TEMPERATURE	<u>+32°C / 55%HR</u>
TYPE OF COOLING	<u>plate evaporator</u>
DEFROSTING TYPE	<u>off cycle defrost</u>
TYPE OF COOLING GAS	<u>R600a</u>
CONDENSED WATER EVAPORATION	<u>automatic</u>
TEMPERATURE CONTROL	<u>automatic</u>
INSULATION (mm)	<u>45</u>
POWER CONSUMPTION (W)	<u>185</u>
VOLTAGE	<u>230V / 50Hz</u>

CONSTRUCTION MATERIAL	<u>wood + ABS – Dark Walnut</u>
DOOR REVERSING	<u>no</u>
INTERIOR LIGHT	<u>led</u>
SUPPLIED ACCESSORIES	<u>4 grids 505 x 415 mm + 1 grid 505 x 215 mm</u>
NET WEIGHT (Kg)	<u>130</u>
GROSS WEIGHT (Kg)	<u>150</u>
PACKAGING DIMENSIONS	<u>800 x 800 x 2280(h) mm</u>



#### ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2791F

WORKING TEMPERATURE/OPERATING TEMPERATURE	<u>-18°C / -22°C</u>
EXTERNAL DIMENSIONS	<u>640 x 610 x 1860(h) mm</u>
INTERNAL DIMENSIONS	<u>460 x 450 x 1500(h) mm</u>
CAPACITY	<u>310</u>
MAX. OPERATING TEMPERATURE	<u>+32°C / 55%HR</u>
TYPE OF COOLING	<u>plate evaporator</u>
DEFROSTING TYPE	<u>off cycle defrost</u>
TYPE OF COOLING GAS	<u>R600a</u>
CONDENSED WATER EVAPORATION	<u>automatic</u>
TEMPERATURE CONTROL	<u>automatic</u>
INSULATION (mm)	<u>45</u>
POWER CONSUMPTION (W)	<u>150</u>
VOLTAGE	<u>230V / 50Hz</u>
CONSTRUCTION MATERIAL	<u>wood + ABS – Dark Walnut</u>
DOOR REVERSING	<u>no</u>
INTERIOR LIGHT	<u>led</u>
SUPPLIED ACCESSORIES	<u>6 fixed shelves</u>

NET WEIGHT (Kg)	<u>130</u>
GROSS WEIGHT (Kg)	<u>150</u>
PACKAGING DIMENSIONS	<u>800 x 800 x 2280(h) mm</u>



#### ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2791N

WORKING TEMPERATURE/OPERATING TEMPERATURE	<u>+2°C/+8°C</u>
EXTERNAL DIMENSIONS	<u>640 x 610 x 1860(h) mm</u>
INTERNAL DIMENSIONS	<u>460 x 450 x 1500(h) mm</u>
CAPACITY	<u>310</u>
MAX. OPERATING TEMPERATURE	<u>+32°C / 55%HR</u>
TYPE OF COOLING	<u>plate evaporator</u>
DEFROSTING TYPE	<u>off cycle defrost</u>
TYPE OF COOLING GAS	<u>R600a</u>
CONDENSED WATER EVAPORATION	<u>automatic</u>
TEMPERATURE CONTROL	<u>automatic</u>
INSULATION (mm)	<u>45</u>
POWER CONSUMPTION (W)	<u>185</u>
VOLTAGE	<u>230V / 50Hz</u>
CONSTRUCTION MATERIAL	<u>wood + ABS – Light Walnut</u>
DOOR REVERSING	<u>no</u>
INTERIOR LIGHT	<u>led</u>
SUPPLIED ACCESSORIES	<u>4 grids 505 x 415 mm + 1 grid 505 x 215 mm</u>
NET WEIGHT (Kg)	<u>130</u>
GROSS WEIGHT (Kg)	<u>150</u>
PACKAGING DIMENSIONS	<u>800 x 800 x 2280(h) mm</u>



## ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2791FN

WORKING TEMPERATURE/OPERATING TEMPERATURE	<u>-18°C / -22°C</u>
EXTERNAL DIMENSIONS	<u>640 x 610 x 1860(h) mm</u>
INTERNAL DIMENSIONS	<u>460 x 450 x 1500(h) mm</u>
CAPACITY	<u>310</u>
MAX. OPERATING TEMPERATURE	<u>+32°C / 55%HR</u>
TYPE OF COOLING	<u>plate evaporator</u>
DEFROSTING TYPE	<u>off cycle defrost</u>
TYPE OF COOLING GAS	<u>R600a</u>
CONDENSED WATER EVAPORATION	<u>automatic</u>
TEMPERATURE CONTROL	<u>automatic</u>
INSULATION (mm)	<u>45</u>
POWER CONSUMPTION (W)	<u>380</u>
VOLTAGE	<u>230V / 50Hz</u>
CONSTRUCTION MATERIAL	<u>wood + ABS – Light Walnut</u>
DOOR REVERSING	<u>no</u>
INTERIOR LIGHT	<u>led</u>
SUPPLIED ACCESSORIES	<u>6 fixed shelves</u>
NET WEIGHT (Kg)	<u>130</u>
GROSS WEIGHT (Kg)	<u>150</u>
PACKAGING DIMENSIONS	<u>800 x 800 x 2280(h) mm</u>



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2791FW**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2791W**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2792**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2792N**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2792W**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2793**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2793N**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2793W**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2794**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИКА KL2794N**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ STATICS KL2794W**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.





#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИЧЕСКИЕ G-BJ118**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИЧЕСКИЕ G-BJ208**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИЧЕСКИЕ G-BJ308**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors.

Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ СТАТИЧЕСКИЕ G-BJ408**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ ВЕНТИЛЯЦИОННЫЕ ENOLO МОДЕЛЬ G-VI120D**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ ВЕНТИЛЯЦИОННЫЕ ENOLO МОДЕЛЬ G-VI120S**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ ВЕНТИЛЯЦИОННЫЕ ENOLO МОДЕЛЬ G-VI180D**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.



#### **ХОЛОДИЛЬНЫЕ ВИННЫЕ ВИТРИНЫ ВЕНТИЛЯЦИОННЫЕ ENOLO МОДЕЛЬ G-VI180S**

A wine cabinet is a special refrigeration equipment designed for storing wine. To preserve and improve its taste, aromatic qualities, this drink is kept at a certain temperature, humidity, in the absence of vibrations, as well as extraneous odors. Such a device will be an excellent solution for restaurants, shops and private wine collectors.

REFRIGERATED WINE CELLARS VENTILATED ENOLO MODEL G-VI462D



DESCRIPTION    ADDITIONAL INFORMATION

WORKING TEMPERATURE/OPERATING TEMPERATURE	+5°C / +18°C
EXTERNAL DIMENSIONS	595 x 570 x 820(h) mm (
INTERNAL DIMENSIONS	217/217 x 440 x 611(h) mm
CAPACITY	100 – max. 30 bottles
MAX. OPERATING TEMPERATURE	+32°C / 55%HR
TYPE OF COOLING	ventilated
DEFROSTING TYPE	automatic
TYPE OF COOLING GAS	R600a
CONDENSED WATER EVAPORATION	automatic
TEMPERATURE CONTROL	touch pad controller
INSULATION (mm)	40
POWER CONSUMPTION (W)	110
VOLTAGE	220-240V / 50Hz
CONSTRUCTION MATERIAL	stainless steel + painted tin plate + ABS + glass
DOOR REVERSING	yes
INTERIOR LIGHT	led
SUPPLIED ACCESSORIES	10 fixed shelves
NET WEIGHT (Kg)	44
GROSS WEIGHT (Kg)	47
PACKAGING DIMENSIONS	660 x 655 x 865(h) mm (

## Холодильные барные шкафы



- габаритные размеры - 920 x 535 x 860 мм
- напряжение - 220 В
- мощность - 0,25 кВт
- температурный режим -
- 0...+10С вентилируемый
- объем - 223 л
- макс. температура окружающей среды -
- +35С две стеклянные двери, две полки
- внешняя отделка - окрашенная сталь

Шкаф холодильный барный Forcar BC 2PS

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922) 49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58  
Иваново (4932)77-34-06  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Ноябрьск (3496)41-32-12  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сыктывкар (8212)25-95-17  
Сургут (3462)77-98-35  
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Улан-Удэ (3012)59-97-51  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

<https://forcar.nt-rt.ru> || [fco@nt-rt.ru](mailto:fco@nt-rt.ru)